


Contour

EcoScapes Carved Panels are wall-mounted acoustic treatments that enable the creation of striking designs and patterns while reducing echoes and unwanted reflections in a space. Carved Panels are available in a range of designs, but can also be custom-carved with virtually any bespoke design or pattern. Custom sizes and configurations are also available upon request.



Construction

Materials: Heat-bonded PET fibres

Recyclable: Panel constructed with 50-75% post-consumer PET. 100% recyclable.

No VOCs, No binders,
No Formaldehyde. Odourless,
Non-allergenic and Non-irritant.
Does not shed. Safe to handle
without protective equipment.

Available Options

Dimensions

2 x 2' (610 x 610mm)
2 x 4' (610 x 1,219mm)
4 x 4' (1,219 x 1,219mm)
4 x 8' (1,219 x 2,438mm)

Custom shapes also available

Edge Type


 Straight / Beveled

Thickness

1" (24mm)

[Further custom thickness and finish options may be available.](#)
[Contact your Primacoustic sales representative to discuss your requirements.](#)

Available Finishes



Testing

Sound Absorption

EcoScapes Contour carved panels are designed to equal or exceed the acoustic performance of competing products. Exact NRC values will vary depending on the chosen specifications and suspension conditions of your baffles. Contact your Primacoustic sales representative for more details.

Fire Safety

ASTM E84 - Class A
EN 13501 - Class B

Accolades



50-75% recycled content



Will contribute to
meeting LEED standards.

Installation and Maintenance

Suggested tools: Utility Knife, Circular Saw/Band Saw, Straight Edge Guide, Measuring Tape

Method

Mounting to Wall:

Construction adhesive (permanent) or silicone adhesive (semi-permanent) is recommended.

Mounting onto furring strips will improve sound absorption.

Suspending from Ceiling:

Although primarily intended for wall-mounted applications, Carved Panels may also be deployed as hanging clouds, affixed directly to a ceiling, or used as baffles or dividers. (*hardware sold separately*).

PET panels can be cut to size with a utility knife or circular/band saw, to fit tight spaces or to further customize your project.

Maintenance


EcoScapes panels are easy to clean and take care of. PET should not shed or break down over time. Surface dirt and dust can be removed with a duster or vacuum cleaner without damaging the panel, while carpet or upholstery shampoo should remove most stains.

Example Designs


Below are a few example designs that show what is possible with Contour carved acoustic panels. The modular, mix-and-match designs allow for endless design possibilities by themselves, but you're not limited to just these - almost any design you can imagine is possible.

Geometric


2x2' | 2x4' | 4x4' | 4x8'



EC121 GA 2424
EC121 GA 2448
EC121 GA 4848
EC121 GA 4896




EC121 GB 2424
EC121 GB 2448
EC121 GB 4848
EC121 GB 4896




EC121 GC 2424
EC121 GC 2448
EC121 GC 4848
EC121 GC 4896

2x2' | 4x4' | 4x8'



EC121 GD 2424
EC121 GD 4848
EC121 GD 4896


2x2' | 4x8'




EC121 GE 2424
EC121 GE 4896

Linear

2x2' | 4x4' | 4x8'




EC121 NTLA 2424
EC121 NTLA 4848
EC121 NTLA 4896




EC121 NTLB 2424
EC121 NTLB 4848
EC121 NTLB 4896

Organic


2x2' | 4x4' | 4x8'




EC121 NTOA 2424
EC121 NTOA 4848
EC121 NTOA 4896



EC121 NTOB 2424
EC121 NTOB 4848
EC121 NTOB 4896




EC121 NTOC 2424
EC121 NTOC 4848
EC121 NTOC 4896




EC121 NTOD 2424
EC121 NTOD 4848
EC121 NTOD 4896

Wave

2x2' | 4x4' | 4x8'



EC121 NTWA 2424
EC121 NTWA 4848
EC121 NTWA 4896



EC121 NTWB 2424
EC121 NTWB 4848
EC121 NTWB 4896

Beyond Sound


4x8'




EC121 BSA 4896




EC121 BSB 4896




EC121 BSC 4896



EC121 BSD 4896



EC121 BSE 4896



EC121 BSF 4896