


PET Acoustic Clouds



EcoScapes Clouds are functional when it comes to superior sound absorption, as well as fashionable when it comes to matching the colours and décor of your room or space.

EcoScapes clouds are made from PET, an environmentally-friendly acoustic treatment material that doesn't compromise on sound absorption performance. And EcoScapes clouds don't compromise on design either, available in a wide range of colours for matching the decor of your room. Panels can be easily cut to size as well, creating a cloud solution that addresses both sound absorption and design needs.

Environmentally-friendly EcoScapes panels contain no formaldehyde, VOCs, glues or binders. They are also odourless, non-allergenic, and safe to handle without protective equipment. The high-density panels are impact resistant, inert and durable, meaning they should stand up to years of use without noticeable wear or discolouration.



Construction

Materials: Heat-bonded PET fibres

Recyclable: Panel constructed with 50-75% post-consumer PET. 100% recyclable.

No VOCs, No binders, No Formaldehyde. Odourless, Non-allergenic and Non-irritant. Does not shed. Safe to handle without protective equipment.

EPD & HPD declarations available on request.

Available Options

Dimensions

Round

ø18" (ø457mm)

ø33" (ø838mm)

ø47.2" (ø1,200mm)

Square

33 x 33" (838 x 838mm)

47.2 x 47.2" (1,200 x 1,200mm)

Edge Types



Square Edge

Thickness

1" (25mm)

Available Finishes

EcoScapes Core PET

Custom Printed PET

For detailed swatch information, please refer to the swatch sheet for your chosen finish, (appended to this document).

Acoustic Testing

ASTM C423

Tests conducted on a 1" (25mm) thick panel

NRC:

A-Mount - 0.75

Panel is mounted directly to wall

D20-Mount - 0.85

Panel is mounted on ¾" thick furring strips, spaced 12" apart. Cavities left empty.

Fire Safety Testing

ASTM E84 - Class A

EN13501-1 - Class B

Accolades



Panel contains up to 75% recycled materials



Will contribute to meeting LEED standards.



Greenguard Gold Certified (Free of VOCs)

Installation and Maintenance

Suggested tools: Utility Knife, Circular Saw/Band Saw, Straight Edge Guide, Measuring Tape

Method

Suspending from Ceiling:

Primacoustic offers a range of specially-designed hardware for suspending EcoScapes panels from most common ceiling types.

PET panels can be cut to size with a utility knife or circular/band saw, to fit tight spaces or to further customize your project.

Maintenance



EcoScapes panels are easy to clean and take care of. PET should not shed or break down over time. Surface dirt and dust can be removed with a duster or vacuum cleaner without damaging the panel, while carpet or upholstery shampoo should remove most stains.




Warranty

Primacoustic acoustic products are guaranteed to be free of manufacturing defects for a period of 3 years after purchase. Please visit www.primacoustic.com/service-warranty for more information.

BIM data available at www.primacoustic.com/bim-library

*Due to the nature of the manufacturing process, and finished materials, slight colour variation may occur and is within commercial manufacturing tolerances.

	SKU	Finish Options	Diameter	Thickness	Edge Type	Pack Qty
18" Round 	E250-1218-XX	30, 31, 32, 33, 34, 35, 37, 38, custom print	18" (457mm)	1" (24mm)	Square	4
33" Round 	E250-1233-XX	30, 31, 32, 33, 34, 35, 37, 38, custom print	33" (838mm)	1" (24mm)	Square	2
33" Square 	E250-1033-XX	30, 31, 32, 33, 34, 35, 37, 38, custom print	33" (838mm)	1" (24mm)	Square	2
4' Round 	E250-1248-XX	30, 31, 32, 33, 34, 35, 37, 38, custom print	47.2" (1,200 mm)	1" (24mm)	Square	2
4' Square 	E250-1048-XX	30, 31, 32, 33, 34, 35, 37, 38, custom print	47.2" (1,200mm)	1" (24mm)	Square	2



Core PET features Primacoustic's most popular PET colours, carefully selected to complement a wide range of commercial, education, hospitality, and workplace environments. Manufactured from high-quality acoustic PET, each finish delivers reliable sound absorption with a clean, modern appearance, providing a timeless foundation for projects where performance and design go hand in hand.

[For specifications, testing data, and all other information, refer to the data sheet for your chosen EcoScapes acoustic panels.](#)

For more information, please contact your Primacoustic Sales Representative

[Due to the nature of the manufacturing process, and finished materials, slight colour variation may occur and is within commercial manufacturing tolerances.](#)

